BOGOTA HIGH SCHOOL PARENTAL CONSENT SLIP

Sport:		Grade: 6 7 8 9 10 11 12
The	following information is no	eeded for those enrolled in the sports program.
Name:		D.O.B.:
Telephone:		
Address:		
Parent/Guardian	Name:	
Emergency Phone	e:	Name:
Physician:		
	NOTE TO PARENTS/G	UARDIANS CONCERNING INSURANCE
To insure cover	age of all claims, the stud	ent must report the injury immediately to his/her coaches in
charge and/or ath	letic trainer. In the event	of an emergency after arrival at home, the parent or guardian
		ficial/athletic director as soon as possible.
		ALTH HISTORY UPDATE
□ Is your c	child presently under th	e care of a physician or taking any medications?
□ No	□Yes	Explain:
□ Has your child :	sustained any serious in	ujury, illness, hospitalization or operations since his/her last
	ph	ysical examination?
□ No	□Yes	Explain:

CONSENT FORM

I give my consent and approval for		
to participate in	during the 20	season in
accordance with the rules and regul	ations of the NJSIAA.	
Signature of Parent/Guardian		Date
l,	, desire to be d	a candidate for
an athletic team at Bogota Jr/Sr High School and agree	to abide by the rules an	d regulations set
forth in the athletic/co-curricu	lar guidelines.	
Signature of Student		Date
* I acknowledge that I have reviewed the follow online at the Bogota High School Athletics Webs Physical Form	ite (www.bogotaboe.co	
Bogota Jr./Sr. High School A Sudden Cardiac Death in Sport-Related Concussion Opioid Use and Misuse, Opioid V NJSIAA Steroid Tes	Young Athletes, and Head Injury, Video Mandate Memo &	
Signature of Parent/Guardian		Date

NOTE TO PARENTS/GUARDIANS CONCERNING PHYSICALS

Your child will need to obtain a sports physical from their primary care physician.

If you do not have a primary care physician and unable to schedule a physical due to financial reasons, please contact the Athletic Trainer or School Nurse.

New Jersey Department of Education Health History Update Questionnaire

Name of School:	
To participate on a school-sponsored interscholastic or intrexamination was completed more than 90 days prior to the questionnaire completed and signed by the student's paren	amural athletic team or squad, each student whose physical first day of official practice shall provide a health history update t or guardian.
Student:	Age:Grade:
Date of Last Physical Examination:	Sport:
Since the last pre-participation physical examination, h	The state of the s
1. Been medically advised not to participate in a sport? Ye	es No
If yes, describe in detail:	
2. Sustained a concussion, been unconscious or lost memo	ry from a blow to the head? Yes No
If yes, explain in detail:	
3. Broken a bone or sprained/strained/dislocated any muse	ele or joints? Yes No
If yes, describe in detail.	
4. Fainted or "blacked out?" Yes No	
If yes, was this during or immediately after exercise?	
if yes, was this during of himmediately after exercise.	
5. Experienced chest pains, shortness of breath or "racing	heart?" Yes No
If yes, explain	
6. Has there been a recent history of fatigue and unusual t	
7. Been hospitalized or had to go to the emergency room?	Yes No No
If yes, explain in detail	
8. Since the last physical examination, has there been a si	adden death in the family or has any member of the family under age
50 had a heart attack or "heart trouble?" Yes No	
9. Started or stopped taking any over-the-counter or preso	cribed medications? Yes No
10. Been diagnosed with Coronavirus (COVID-19)? Yes	No No
If diagnosed with Coronavirus (COVID-19), was yo	
If diagnosed with Coronavirus (COVID-19), was yo	
11. Has any member of the student-athlete's household be	een diagnosed with Coronavirus (COVID-19)? Yes No
Date: Signature of parent/guardia	n:

If you are submitting a new physical, please CONTINUE and COMPLETE the remainder of the physical packet.

If you have submitted a sports physical packet and completed the following forms in the last 365 days, you may **STOP** here:

- Opioid Video Mandate Sign-Off Sheet
- Sudden Cardiac Death Sign-Off Sheet
- Use and Misuse of Opioid Drugs Sign-Off Sheet
- NJSIAA Steroid Testing Consent Form
- Concussion Acknowledgement Form
- Health History Form
- Physical Examination and Clearance Form

Date of last pre-participation physical:



BOGOTA JR./SR. HIGH SCHOOL

Two Henry C. Luthin Place · Bogota, New Jersey 07603 Telephone (201) 441-4808 · Fax (201) 441-4849

State of New Jersey DEPARTMENT OF EDUCATION

Opioid Video Mandate Memo and Acknowledgement

Student-Athlete and Parent/Guardian Sign-Off Sheet

Acting to address the increased risk of opioid abuse among high school athletes, the Office of the New Jersey Coordinator for Addiction Responses and Enforcement Strategies (NJCARES) and the New Jersey State Interscholastic Athletic Association (NJSIAA) announced on February 19, 2019, a new partnership to educate student athletes and their parents/guardians on addiction risks associated with sports injuries and opioid use.

This educational initiative, spearheaded by Attorney General Gurbir Grewal and approved by the Executive Committee of the NJSIAA, is a collaborative effort to use video programming to raise awareness among high school athletes that they face a higher risk of becoming addicted to prescription pain medication than their fellow students who do not play sports.

Beginning with the 2019 fall season, we are making available to all student athletes and their parents/guardians, an educational video about the risks of opioid use as it relates to student athletes. The video will be available on August 1, 2019 and can be found on the NJSIAA website under "Athlete Wellness" which is located under the "Health & Safety tab. We are strongly encouraging student athletes and parents/guardians to watch the video as soon as it becomes available. An acknowledgement that students and their parents/guardians have watched the video will be required starting with the 2019-2020 winter season.

All member schools are asked to add to their current athletic consent forms the sign-off listed below. The sign-off acknowledgment is an NJSIAA mandate; student athletes are required to view the video only once per school year prior to the first official practice of the season in their respective sport, but the signed acknowledgment is required for each sport a student participates in. Athletes that are 18 years or older do not need the parents/guardians to watch the video.

Opioid Video is located at: https://youtu.be/3Rz6rkwpAx8. Video is available on Bogota Athletics website www.bogotaboe.com/Page242 (under Athletic Forms)

NJSIAA OPIOID POLICY ACKNOWLEDGEMENT

We have viewed the NJ CARES educational video on the risks of opioid use for high school athletes. We understand the NJSIAA policy that requires students, and their parents(s)/guardian(s) if a student is under the age of 18, to view this video and sign this acknowledgement.

Student's Signature:	Date:		
Parent/Guardian Signature:	Date:		

Nebsite Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association
- American Heart Association www.heart.org

Collaborating Agencies:

New Jersey Chapter 3836 Quakerbridge Road, Suite 108 American Academy of Pediatrics Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015



American Heart Association

www.aapnj.org

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



New Jersey Department of Education

www.state.nj.us/education/ Trenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500



New Jersey Department of Health

Trenton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837 P. O. Box 360



Lead Author: American Academy of Pediatrics, New Jersey Chapter

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD


NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services,

Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Revised 2014: Nancy Curry, EdM;

CARDA

Sudden Carlac Death The Basic Facts on in Young Athletes







SUIDDIEN CARDIAC DEATH IN YOUNG ATHLETES

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death in the young athlete?

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common issueden death in young

Sudden cardiac death in young athletes is. to any individual high school athlete is The chance of sudden death occurring reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven- TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go loss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. heart to quiver instead of pumping

also called HCM. HCM is a disease of the heart, muscle, which can cause serious heart rhythm The most common cause of sudden death in (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) problems and blockages to blood flow. This genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

blood vessels are connected to arteries. This means that these heart in an abnormal way. This differs from blockages that may the main blood vessel of the The second most likely cause is congenital abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth)

(commonly called "coronary artery disease," which may lead to a heart occur when people get older attack)

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart
 beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
 - Being unable to keep up with friends due to shortness of breath (labored breathing)

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
 - A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 11/2 minute walk from any location and that a call is made to activate 911 emergency system while the AED is being

State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian
Signature:
Date:

OPIOID USE AND MISUSE

Keeping Student-Athletes Safe

from Droger Hales, (cheeff file)

Wiegoga Tengangan de USA

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller. It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic.²

This educational fact sheet, created by the New Jersey Department of Education as required by state law (*N.J.S.A.* 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.³ It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.³ In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening, 4 such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.


What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, non-steroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.


According to NJSIAA Sports
Medical Advisory Committee chair,
John P. Kripsak, D.O., "Studies
indicate that about 80 percent of
heroin users started out by abusing
narcotic painkillers."




Mealth

STATE OF NEW JERSEY Department of HealtH

NISIAA SPORTS MEDICAL ADVISORY COMMITTEE





Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:

PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown

PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.

TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.

PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References 1 Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- National Institute of Arthritis and Musculoskeletal and Skin Diseases
- 6 USATODAY
- ⁷ American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.



BOGOTA JR./SR. HIGH SCHOOL

Two Henry C. Luthin Place · Bogota, New Jersey 07603 Telephone (201) 441-4808 · Fax (201) 441-4849

State of New Jersey DEPARTMENT OF EDUCATION

Use and Misuse of Opioid Drugs Fact Sheet

Student-Athlete and Parent/Guardian Sign-Off Sheet

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student-athlete's or cheerleader's first official practice of the school year.

Name of School: Bogota Jr./Sr. High School
Name of School District (if applicable): Bogota
I/We acknowledge that we received and reviewed the Educational Fact Sheet on the Use and Misuse of Opioid Drugs.
Student Name (Print):
Student Signature:
Parent/Guardian Signature:(also needed if student is under age 18):
Date:



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691

609-259-2776 609-259-3047-Fax

NJSIAA STEROID TESTING POLICY

CONSENT TO RANDOM TESTING

In Executive Order 72, issued December 20, 2005, Governor Richard Codey directed the New Jersey Department of Education to work in conjunction with the New Jersey State Interscholastic Athletic Association (NJSIAA) to develop and implement a program of random testing for steroids, of teams and individuals qualifying for championship games.

Beginning in the Fall, 2006 sports season, any student-athlete who possesses, distributes, ingests or otherwise uses any of the banned substances on the attached page, without written prescription by a fully-licensed physician, as recognized by the American Medical Association, to treat a medical condition, violates the NJSIAA's sportsmanship rule, and is subject to NJSIAA penalties, including ineligibility from competition.

Athletes may submit supplements and medications to Drug Free Sport AXIS to receive information regarding banned substances or safety issues. Athletes or parents may login to the NJSIAA account at www.dfsaxis.com using the password "njsports".

The NJSIAA will test certain randomly selected individuals and teams that qualify for a state championship tournament or state championship competition for banned substances. The results of all tests shall be considered confidential and shall only be disclosed to the student, his or her parents and his or her school. No student may participate in NJSIAA competition unless the student and the student's parent/guardian consent to random testing.

By signing below, we consent to random testing in accordance with the NJSIAA steroid testing policy. We understand that, if the student or the student's team qualifies for a state championship tournament or state championship competition, the student may be subject to testing for banned substances.

Signature of Student-Athlete	Print Student-Athlete's Name	Date
Signature of Parent/Guardian	Print Parent/Guardian's Name	Date

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
 annually this educational fact to all student athletes and obtain a signed acknowledgement from each
 parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the
 prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic
 student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- · Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- · Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- · Demonstrates behavior or personality changes
- · Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- · Balance problems or dizziness
- · Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- Report it. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is
 healing you are much more likely to sustain a second concussion. Repeat concussions can cause
 permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching
 movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching
 practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms,
 next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective
 of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

www.cdc.gov/concussion/sports/in- www.ncaa.org/health-safety		www.nfhs.com www.atsnj.org	
Signature of Student-Athlete	Print Student-A	thlete's Name	Date
Signature of Parent/Guardian	Print Parent/Gu	1, 2, 21	Date

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

@ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

ame				Date of birth		
x Age	Grade Scho	ol		Sport(s)		
Tedicines and Allergies: Plea	ase list all of the prescription and over-	he-cou	nter me	dicines and supplements (herbal and nutritional) that you are currently t	aking	
Do you have any allergies? Medicines	☐ Yes ☐ No If yes, please iden ☐ Pollens	tify spe		ergy below. □ Food □ Stinging Insects		
plain "Yes" answers below, C	ircle questions you don't know the ans	wers to	i.	N.		
GENERAL QUESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	No
	stricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
	ical conditions? If so, please identify			27. Have you ever used an inhaler or taken asthma medicine?		
Other:	mia Diabetes Infections			Sthere anyone in your family who has asthma? Were you born without or are you missing a kidney, an eye, a testicle		
3. Have you ever spent the night	in the hospital?			(males), your spleen, or any other organ? 30. Do you have groin pain or a painful bulge or hernia in the groin area?		-
4. Have you ever had surgery? HEART HEALTH QUESTIONS ABO	NIT VOII	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		-
5. Have you ever passed out or n	AND THE PROPERTY OF THE PROPER	102	NO	32. Do you have any rashes, pressure sores, or other skin problems?		
AFTER exercise?	idany paddod dat borinra di			33. Have you had a herpes or MRSA skin infection?		
	, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		
chest during exercise?	skip beats (irregular beats) during exercise?			35. Have you ever had a hit or blow to the head that caused confusion,		
N. P. STANDARON STONE ST	t you have any heart problems? If so,			prolonged headache, or memory problems?		-
check all that apply:	r you have any heart problems. If our			36. Do you have a history of seizure disorder? 37. Do you have headaches with exercise?		-
☐ High blood pressure	☐ A heart murmur ☐ A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or		
☐ High cholesterol ☐ Kawasaki disease	Other:			legs after being hit or falling?		
	est for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
	I more short of breath than expected			40. Have you ever become ill while exercising in the heat?		-
during exercise?	Sourcian books			41. Do you get frequent muscle cramps when exercising?	-	-
	t of breath more quickly than your friends			42. Do you or someone in your family have sickle cell trait or disease? 43. Have you had any problems with your eyes or vision?		
during exercise? HEART HEALTH QUESTIONS ABO	OUT VOUD FAMILY	Yes	No	44. Have you had any eye injuries?		
The state of the s	lative died of heart problems or had an	ies	140	45. Do you wear glasses or contact lenses?	-	-
unexpected or unexplained su	udden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		-
	cident, or sudden infant death syndrome)?		-	47. Do you worry about your weight? 48. Are you trying to or has anyone recommended that you gain or		+
	ave hypertrophic cardiomyopathy, Marfan ght ventricular cardiomyopathy, long QT			lose weight?		
syndrome, short QT syndrome	e, Brugada syndrome, or catecholaminergic			49. Are you on a special diet or do you avoid certain types of foods?		
polymorphic ventricular tachy	ave a heart problem, pacemaker, or	-	-	50. Have you ever had an eating disorder?		
implanted defibrillator?	avo a noure problem, padamaker, or			51. Do you have any concerns that you would like to discuss with a doctor?		+
	d unexplained fainting, unexplained			FEMALES ONLY		+-
seizures, or near drowning?		Yes	No	52. Have you ever had a menstrual period? 53. How old were you when you had your first menstrual period?	-	
BONE AND JOINT QUESTIONS	to a bone, muscle, ligament, or tendon	163	140	54. How many periods have you had in the last 12 months?		
that caused you to miss a pra				Explain "yes" answers here	1	
	en or fractured bones or dislocated joints?			-		
 Have you ever had an injury to injections, therapy, a brace, a 	that required x-rays, MRI, CT scan, a cast, or crutches?					
20. Have you ever had a stress fi			-			
instability or atlantoaxial inst	you have or have you had an x-ray for neck ability? (Down syndrome or dwarfism)					-
	, orthotics, or other assistive device?	-	-			
23. Do you have a bone, muscle,		-	-			
24. Do any of your joints become	e painful, swollen, feel warm, or look red?	-				

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

180553

9-2681/0410

® PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex						
Name _				Date of birth		
Sex	Age	Grade	School	Sport(s)		
1. Type o	of disability					
	of disability					
	ification (if available)					
# 50 C C C C C C C C C C C C C C C C C C	THE STATE OF THE S	sease, accident/trauma, other)				
	ne sports you are intere					
	, , , , , , , , , , , , , , , , , , , ,				Yes	No
6. Do you	u regularly use a brace	e, assistive device, or prostheti	c?			
7. Do you	u use any special brac	e or assistive device for sports	5?			
8. Do you	u have any rashes, pre	essure sores, or any other skin	problems?			
		Do you use a hearing aid?				
	u have a visual impairi					
_		ces for bowel or bladder functi	ion?	The state of the s		
-		comfort when urinating?	4		-	
	you had autonomic dy		housis) or cold related flour the emily illes	0		
			hermia) or cold-related (hypothermia) illnes	SS?	+	
	u have muscle spastic	res that cannot be controlled by	w medication?		-	
100		es that cannot be combolied by	y medicandir:		1	l
Explain "ye	es" answers here					
			E			
				4		
Please ind	icate if you have eve	r had any of the following.			_	
1						No
Atlantoavi	ial instability		a		Yes	No
	ial instability luation for atlantoaxial	instability	<u> </u>		Yes	No
X-ray eval	luation for atlantoaxial		<u>s</u>		Yes	No
X-ray eval	luation for atlantoaxial d joints (more than one		s		Yes	No
X-ray eval	luation for atlantoaxial d joints (more than one ding		3		Yes	No
X-ray eval Dislocated Easy bleed	luation for atlantoaxial d joints (more than one ding		3		Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis	luation for atlantoaxial d joints (more than one ding		3		Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni	luation for atlantoaxial d joints (more than one ding spleen		3		Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty of	Juation for atlantoaxial d joints (more than one ding spleen ia or osteoporosis controlling bowel controlling bladder				Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty of Numbness	luation for atlantoaxial d joints (more than one ding spleen la or osteoporosis controlling bowel controlling bladder s or tingling in arms or	r hands			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness	luation for attantoaxial d joints (more than one ding spleen la or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or	r hands			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness	luation for attantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands	r hands			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Weakness Weakness	luation for atlantoaxial d joints (more than one ding spleen la or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet	r hands			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness Weakness Weakness Recent ch	luation for atlantoaxial d joints (more than one ding spleen la or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness Numbness Weakness Weakness Recent ch	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder is or tingling in arms or is or tingling in legs or is in arms or hands in legs or feet mange in coordination mange in ability to walk	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Difficulty of Numbness Weakness Weakness Recent ch Recent ch Spina bifid	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged s Hepatitis Osteopeni Difficulty o Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffid Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness Numbness Weakness Weakness Recent ch Recent ch Spina biffid Latex alle	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or s in arms or hands s in legs or feet lange in coordination lange in ability to walk da	r hands feet			Yes	No
X-ray eval Dislocated Easy bleed Enlarged of Hepatitis Osteopeni Difficulty of Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle Explain "y	luation for atlantoaxial d joints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder s or tingling in legs or s or tingling in legs or s in arms or hands s in legs or feet nange in coordination nange in ability to walk da legy	r hands feet	ers to the above questions are complete		Yes	No
X-ray eval Dislocatec Easy bleec Enlarged s Hepatitis Osteopeni Difficulty of Numbness Weakness Weakness Recent ch Recent ch Spina biffic Latex alle	luation for atlantoaxial digints (more than one ding spleen lia or osteoporosis controlling bowel controlling bladder is or tingling in arms or is or tingling in legs or is in arms or hands in legs or feet hange in coordination hange in ability to walk da liggy light arms wers here	r hands feet			Ves Date Date	No

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

_ Date of birth

M PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

PHYSICIAN REMINDERS

Consider reviewing questions on cardiovascular symptoms (questions 5-14).			
EXAMINATION			
Height Weight 🗆 Male	□ Female		
3P / (/) Pulse Vision F	- 4000000000000000000000000000000000000	L 20/	Corrected Y N ABNORMAL FINDINGS
MEDICAL Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency)	NORMAL		ADMONIMAL FRAUMOS
Eyes/ears/nose/throat • Pupils equal • Hearing			
_ymph nodes			
Heart* Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI)			
Pulses Simultaneous femoral and radial pulses Lungs			
Abdomen			
Genitourinary (males only) ^b			
Skin			
HSV, lesions suggestive of MRSA, tinea corporis		-	
Neurologic ^c MUSCULOSKELETAL		-	
Neck			
Back			
Shoulder/arm			
Elbow/forearm			
Wrist/hand/fingers			
Hip/thigh			
Knee Leg/ankle	-	-	
Foot/toes			
Functional			
Duck-walk, single leg hop			
Consider ECS, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. Consider GU exam if in private setting. Having third party present is recommended. Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. Cleared for all sports without restriction Cleared for all sports without restriction with recommendations for further evaluation or treatm	ent for		:
□ Not cleared			
□ Pending further evaluation			
Service Control for Service Control of Service Cont			
☐ For any sports			
For certain sports			
Reason			
Recommendations			
have examined the above-named student and completed the preparticipation physical evaluaticipate in the sport(s) as outlined above. A copy of the physical exam is on record in my crise after the athlete has been cleared for participation, a physician may rescind the clearate the state of the contract (most in a physician may rescind the clearate the state of the contract (most in a physician may rescind the clearate).	office and can be m	ade available to	the school at the request of the parents. If conditio
o the athlete (and parents/guardians).			
u ine annete (and parents/guardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type) Address			CHOCK CO. C.

Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. HE0503 New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71 9-2681/0410

® PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Name 56	X LI M LI F Age Date of birth
☐ Cleared for all sports without restriction	
$\hfill\Box$ Cleared for all sports without restriction with recommendations for further evaluations	tion or treatment for
□ Not cleared	
□ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	
EMERGENCY INFORMATION	
Allergies	
Other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
	Reviewed on
	(Date) Approved Not Approved
	Signature:
I have examined the above-named student and completed the prepartic clinical contraindications to practice and participate in the sport(s) as and can be made available to the school at the request of the parents. the physician may rescind the clearance until the problem is resolved a (and parents/guardians).	outlined above. A copy of the physical exam is on record in my office If conditions arise after the athlete has been cleared for participation.
Name of physician, advanced practice nurse (APN), physician assistant (PA)	Date
Address	
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
Date Signature	

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71